

MD9 electriCITY



TEMSA
Smart Mobility

DIMENSIONS AND WEIGHTS

Length	9.496 mm
Width	2.400 mm
Height (incl. air conditioner)	3.226 mm
Floor-To-Ceiling Height	Front:2530mm/Rear:1860 mm
Wheelbase	4.600 mm
Front Overhang	2.056 mm
Rear Overhang	2.840 mm
Turning Diameter.....	16.600 mm
Approach Angle	8°
Seating Capacity	26
Gross Vehicle Weight	13.834 kg

POWER

Type	TM4 Permanent Magnet
Motor Power	250 kW
Torque.....	2600 Nm
Gradeability.....	20%

BATTERY

Type	200 kWh
Charging System	CCS Combo2
Charging Time	2 hours with 150 kWh DC Charger
.....	3 hours with 90 kWh DC Charger
.....	5 hours with 45 kWh DC Charger
Range.....	230 Km
Location.....	Rear and Middle Bottom Area

AXLES

Front Axle Type.....	Independent
Front Axle Capacity	5.000 Kg
Rear Axle Type	Rigid
Rear Axle Capacity.....	9.440 kg
Differential Ratio.....	6,1

RIMS & TIRES

Rim.....	7.5 x 19.5
Tire.....	265/70/R19.5

ELECTRICAL SYSTEM

System Voltage.....	24 V
Battery.....	2 x 12 V 180Ah

STEERING WHEEL

Electro Hydraulic Steering.....	Standard
Steering Wheel Tilt and Telescopic	Standard

BRAKES

Service Brake.....	Standard
Parking Brake	Standard
ABS (Anti-Lock Braking System).....	Standard
ASR (Anti-Slip Regulation)	Standard
EBS (Electronic Braking System).....	Standard
Temporary Bus Stop.....	Standard

INTERIOR

Handle, Dashboard.....	Standard
------------------------	----------

EXTERIOR AND BODY

Body Lifting.....	Standard
Body Side Kneeling.....	Standard
Body Kneeling.....	Standard
Fog Lights.....	Standard
Rim cover.....	Optional
Opaque-White Exterior Colour.....	Standard
Metallic Exterior Colour.....	Optional

DRIVER'S AREA

Sunvisor.....	Standard
Interior Mirror for Driver.....	Standard
Sliding Front Heated Driver Window.....	Standard
Left Armrest for Driver Seat.....	Optional
Right Armrest for Driver Seat.....	Optional
3 Point Safety Belt for Driver Seat.....	Standard

SECURITY

ESP (Electronic Stability Programme).....	Standard
Fire Extinguisher.....	Standard
Low Voltage Warning.....	Standard
Safety Hammers.....	Standard
Circuit Separator on Battery.....	Standard

WINDOWS AND CLIMATIZATION

Single Side Windows.....	Standard
Air Conditioner.....	Standard
Additional Heating System.....	Optional
Driver's Defroster.....	Standard

ELECTRONIC EQUIPMENTS

Electrically Adjustable Exterior Mirrors.....	Standard
Rear View Camera.....	Optional
Reverse Gear Buzzer.....	Standard
Front Destination Plates.....	Standard

OTHER EQUIPMENTS

Random Coded Lock.....	Standard
Electrical Horn.....	Standard
Spare Tire.....	Optional
Manual Ramp.....	Standard
Ticket Machine Preparation.....	Optional

temsa.com

The TEMSA roundel and the TEMSA word mark are registered trademarks of Temsa Ulaşım Araçları Sanayi ve Ticaret A.Ş. The information in this publication is accurate as of its publication date (07/2019). The information herein is subject to change without prior notice. Specification may differ per country. Consult your sales representative for features and specifications that match your requirements. Copyright © 2019 TEMSA. All rights reserved.