

TS35



TEMSA

DIMENSIONS AND WEIGHTS

Length (ft)	35
Width (in)	100.4
Height (in)	138.6
Floor-To-Ceiling Height (in)	75
Wheelbase (in)	218.1
Front Overhang (in)	81.9
Rear Overhang (in)	123
Turning Diameter (ft)	31.4
Approach Angle	8°
Gross Vehicle Weight	37,448 lbs (16,986 kg)
Total Luggage Volume (ft ³)	215

ENGINE

Model	Cummins L9 350 hp – EPA 2017
Type	Diesel
Number of Cylinders and Layout	6 in Line
Bore/Stroke	114 mm / 145 mm
Volume (displacement)	8.9 L
Maximum Power	350 HP / 2000 rpm
Maximum Torque	1,150 lb-ft / 1,400 rpm

TRANSMISSION

Model	Allison B500 (Retarder Option)
Type	Automatic
Number of Gears	6

AXLES

Front Axle Type	ZF RL 75 E - independent
Front Axle Capacity	7,500 kg
Rear Axle Type	ZF A132
Rear Axle Capacity	12,300 kg
Differential Ratio	4.27

RIMS & TIRES

Rim	22.5 x 9 Alcoa Durabright
Tire	315 / 80 R 22.5

FUEL & UREA TANK

Fuel Capacity	154 US Gal
Urea Tank Capacity	10 US Gal

ELECTRICAL SYSTEM

System Voltage	24 V
Battery	2 x 12 V 225 Ah

STEERING WHEEL

Hydraulic Steering	Standard
Steering Wheel Tilt and Telescopic	Standard

BRAKES

Service Brake	Standard
Parking Brake	Standard
Engine Brake	Standard
ABS (Anti-Lock Braking System)	Standard
ASR (Anti-Slip Regulation)	Standard
Temporary Bus Stop	Optional
Re/Intarder Control By Pedal	Optional

INTERIOR

Parcel Rack	Standard
Multiset	Standard
Curtain	Standard
Reclining Passenger Seats	Standard
3 Point Safety Belt For Passengers	Standard
Adjustable Foot Rest	Standard
Fixed Armrest	Standard
Seat Pocket (NET) for Passenger Seats	Standard
110V Supply (inv) Plug On Seat	Optional
WC	Standard

EXTERIOR AND BODY

Body Lifting	Standard
Front Kneeling	Standard
Rim Cover	Standard
Opaque White Exterior Colour	Standard
Metallic Exterior Colour	Optional
Opaque Exterior Colour	Optional

DRIVER'S AREA

Manual Controlled Driver Window	Standard
Electrical Sunvisor	Standard
3 Point Safety Belt for Driver Seat	Standard
Right Armrest for Driver Seat	Standard
Left Armrest for Driver Seat	Standard
Interior Mirror for Driver	Standard

SECURITY

ESP (Electronic Stability Programme)	Standard
LDWS (Lane Departure Warning System)	Standard
Engine Room Fire Extinguisher System	Standard
Low Voltage Warning	Standard
Circuit Separator on Battery	Standard
Fire Extinguisher (1*6 kg)	Standard
Engine Room Lid Open Warning	Standard
Speed Limiter	Standard

WINDOWS AND CLIMATIZATION

Air Conditioner	Standard
Driver's Defroster	Standard
AC Defroster	Standard
Convactor	Standard
Preheater	Optional
Timer For Preheater	Standard
Double Glazed Rear Windows	Standard

ELECTRONIC EQUIPMENTS

Reverse Gear Buzzer	Standard
Windshield	Standard
Preparation of Rear View Camera	Standard
Multimedia System	Standard

OTHER EQUIPMENTS

Spare Tire	Standard
First Aid Kit	Standard
Day Running Light DRL (LED)	Standard
Fog Lights	Standard
LED Headlight	Optional
Halogen Headlight	Standard
Electrical Horn	Standard
Handicapped Lift/Ramp Preparation	Optional

[temsa.com](https://www.temsa.com)

The TEMSA roundel and the TEMSA word mark are registered trademarks of Temsa Skoda Sabancı Ulaşım Araçları A.Ş. The information in this publication is accurate as of its publication date (04/2021). The information herein is subject to change without prior notice. Specification may differ per country. Consult your sales representative for features and specifications that match your requirements. Copyright © 2019 TEMSA. All rights reserved.