

HD



temsa.com



TEMSA



DIMENSIONS AND WEIGHTS

Length	12.276 mm
Width	2.550 mm
Height (incl. air conditioner)	3.644 mm
Floor-To-Ceiling Height	2.000 mm
Wheelbase	6.100 mm
Front Overhang	2.766 mm
Rear Overhang	3.410 mm
Turning Diameter	21.600 mm
Approach Angle	8°
Seating Capacity	50+1+1
Gross Vehicle Weight	19.000 kg
Total Luggage Volume	6m ³

ENGINE

Model 1	DAF MX11-330 kW
Maximum Power 1	330 kW/449 HP @1600 rpm
Maximum Torque 1	2300 Nm @900-1125 rpm
Model 2	DAF MX11-300 kW
Maximum Power 2	300 kW/408 hp @1600 rpm
Maximum Torque 2	2100 Nm @900-1125 rpm
Bore/Stroke	123 x 152 mm
Volume	10.800 cc
Engine Emission Standard	Euro VI

TRANSMISSION

Standard Transmission	ZF Ecoshift 6 Forward Manual
Optional Transmission	ZF Traxon 12 Forward Automatic
Optional Transmission	ZF Ecolife 6 Forward Automatic

AXLES & SUSPENSION

Front Axle Type	ZF RL 75 E Independent
Front Axle Capacity	7.500 kg
Rear Axle Type	A 132 II Rigid
Rear Axle Capacity	11.500 kg
Front/Rear Suspension	Air Suspension

RIMS & TIRES

Steel/Aluminium Rim	22.5 x 9
Tire	295/80 R22.5

FUEL TANK

Fuel Capacity	527 L Heated Fuel Filter Water Separator
Urea Tank Capacity	50 L

STEERING WHEEL

Steering Wheel Tilt and Telescopic	Standard
--	----------

BRAKES

Service Brake	Standard
Parking Brake	Standard
Engine Brake	Standard
Exhaust Valve Break	Standard
ABS (Anti-Lock Braking System)	Standard
ASR (Anti-Slip Regulation)	Standard
EBS (Electronic Braking System)	Standard
AEBS (Advanced Emergency Braking System)	Standard
Intarder	Standard

INTERIOR

Parcel Rack	Standard
Curtain	Standard
Assistant Seat	Standard
Reclining Passenger Seats	Standard
Service Tray for Passenger Seats	Standard

USB Charger	Optional
Kitchen Unit	Optional
WC	Optional
Sleeping Compartment	Standard

EXTERIOR AND BODY

Body Lifting	Standard
Body Kneeling	Standard
Rim Cover	Standard
Opaque White Exterior Colour	Standard
Metallic Exterior Colour	Optional
Opaque Exterior Colour	Optional

DRIVER'S AREA

Alcoholmeter	Optional
Front Microphone	Standard
Electrical Sunvisor	Standard
3 Point Safety Belt for Driver Seat	Standard
Heater for Driver Seat	Optional
Electrical Exterior Mirror	Standard

SECURITY

ESP (Electronic Stability Programme)	Standard
LDWS (Lane Departure Warning System)	Standard
ACC (Adaptive Cruise Control)	Standard
Safety Hammers	Standard
Fire Warning System for Engine Room	Standard
Low Voltage Warning	Standard
Circuit Separator on Battery	Standard
Fire Extinguisher	Standard
Engine Room Lid Open Warning	Standard
Immobilizer	Standard
Tire Pressure Display	Optional

WINDOWS AND CLIMATIZATION

Heated Windshield	Standard
Double Glazing	Standard
Air Conditioner	Standard
Cooling Capacity	39kW
Additional Heating System	Standard
Defroster	Optional
Convector	Standard
Preheater	Standard
Timer For Preheater	Standard

ELECTRONIC EQUIPMENTS

Monitor	Standard
Reverse Gear Buzzer	Standard
Rear Parking Sensor	Optional
Rear View Camera	Optional
Bottle Cooler in Dashboard	Standard
Fridge	Standard
Destination Plates	Optional
SchoolBus Sign	Optional
Tachograph	Standard

OTHER EQUIPMENTS

First Aid Kit	Standard
Fog Lights	Standard
Xenon Headlight	Optional
Halogen Headlight	Standard
Electrical Horn	Standard
Air Horn	Optional
LED Day Running Light DRL	Standard

DIMENSIONS AND WEIGHTS

Length	13.076 mm
Width	2.550 mm
Height (incl. air conditioner)	3.644 mm
Floor-To-Ceiling Height	2.000 mm
Wheelbase	6.900 mm
Front Overhang	2.766 mm
Rear Overhang	3.410 mm
Turning Diameter	21.600 mm
Approach Angle	8°
Seating Capacity	41+1+1
Gross Vehicle Weight	19.000 kg
Total Luggage Volume	11 m ³

ENGINE

Model 1	DAF MX11-330 kW
Maximum Power 1	330 kW/449 HP @1600 rpm
Maximum Torque 1	2300 Nm @900-1125 rpm
Model 2	DAF MX11-300 kW
Maximum Power 2	300 kW/408 hp @1600 rpm
Maximum Torque 2	2100 Nm @900-1125 rpm
Bore/Stroke	123 x 152 mm
Volume	10.800 cc
Engine Emission Standard	Euro VI

TRANSMISSION

Standard Transmission	ZF Ecoshift 6 Forward Manual
Optional Transmission	ZF Traxon 12 Forward Automatic
Optional Transmission	ZF Ecolife 6 Forward Automatic

AXLES & SUSPENSION

Front Axle Type	ZF RL 75 E Independent
Front Axle Capacity	7.500 kg
Rear Axle Type	A 132 II Rigid
Rear Axle Capacity	11.500 kg
Front/Rear Suspension	Air Suspension

RIMS & TIRES

Steel/Aluminium Rim	22.5 x 9
Tire	295/80 R22.5

FUEL TANK

Fuel Capacity	527 L Heated Fuel Filter Water Separator
Urea Tank Capacity	50 L

STEERING WHEEL

Steering Wheel Tilt and Telescopic	Standard
--	----------

BRAKES

Service Brake	Standard
Parking Brake	Standard
Engine Brake	Standard
Exhaust Valve Break	Standard
ABS (Anti-Lock Braking System)	Standard
ASR (Anti-Slip Regulation)	Standard
EBS (Electronic Braking System)	Standard
AEBS (Advanced Emergency Braking System)	Standard
Intarder	Standard

INTERIOR

Parcel Rack	Standard
Curtain	Standard
Assistant Seat	Standard
Reclining Passenger Seats	Standard
Service Tray for Passenger Seats	Standard

USB Charger	Optional
Kitchen Unit	Optional
WC	Optional
Sleeping Compartment	Standard

EXTERIOR AND BODY

Body Lifting	Standard
Body Kneeling	Standard
Rim Cover	Standard
Opaque White Exterior Colour	Standard
Metallic Exterior Colour	Optional
Opaque Exterior Colour	Optional

DRIVER'S AREA

Alcoholmeter	Optional
Front Microphone	Standard
Electrical Sunvisor	Standard
3 Point Safety Belt for Driver Seat	Standard
Heater for Driver Seat	Optional
Electrical Exterior Mirror	Standard

SECURITY

ESP (Electronic Stability Programme)	Standard
LDWS (Lane Departure Warning System)	Standard
ACC (Adaptive Cruise Control)	Standard
Safety Hammers	Standard
Fire Warning System for Engine Room	Standard
Low Voltage Warning	Standard
Circuit Separator on Battery	Standard
Fire Extinguisher	Standard
Engine Room Lid Open Warning	Standard
Immobilizer	Standard
Tire Pressure Display	Optional

WINDOWS AND CLIMATIZATION

Heated Windshield	Standard
Double Glazing	Standard
Air Conditioner	Standard
Cooling Capacity	39kW
Additional Heating System	Standard
Defroster	Optional
Convector	Standard
Preheater	Standard
Timer For Preheater	Standard

ELECTRONIC EQUIPMENTS

Monitor	Standard
Reverse Gear Buzzer	Standard
Rear Parking Sensor	Optional
Rear View Camera	Optional
Bottle Cooler in Dashboard	Standard
Fridge	Standard
Destination Plates	Optional
SchoolBus Sign	Optional
Tachograph	Standard

OTHER EQUIPMENTS

Spare Tire	Standard
First Aid Kit	Standard
Fog Lights	Standard
Xenon Headlight	Optional
Halogen Headlight	Standard
Electrical Horn	Standard
Air Horn	Optional
LED Day Running Light DRL	Standard